



**Figure 14.** Dorsal habitus of Delphacidae (scale = 0.5 mm). A. *Copicerus irroratus* (Asiracinae: Asiracini), B. *Pentagramma vittatifrons* (Asiracinae: Idiosystanini), C. *Kelisia parvicurvata*, D. *Kelisia vesiculata* (Kelisiinae), E. *Kelisicranus arundiniphagus*, F. *Obtusicranus bicarinus*, G. *Stenocranus lautus* (Stenocraninae), H. *Saccharosydne saccharivora* (Delphacinae: Saccharosydni).



**Figure 15.** Lateral views of Delphacidae (scale = 0.5 mm). A. *Copicerus irroratus* (Asiracinae: Asiracini), B. *Pentagramma vittatifrons* (Asiracinae: Idiosystanini), C. *Kelisia parvicurvata*, D. *Kelisia vesiculata* (Kelisiinae), E. *Kelisicranus arundiniphagus*, F. *Obtusicranus bicarinus*, G. *Stenocranus lautus* (Stenocraninae), H. *Saccharosydne saccharivora* (Delphacinae: Saccharosydni).



**Figure 16.** Frons of Delphacidae (scale = 0.5 mm). A. *Copicerus irroratus* (Asiracinae: Asiracini), B. *Pentagramma vittatifrons* (Asiracinae: Idiosystanini), C. *Kelisia parvicurvata*, D. *Kelisia vesiculata* (Kelisiinae), E. *Kelisicranus arundiniphagus*, F. *Obtusicranus bicarinus*, G. *Stenocranus lautus* (Stenocraninae), H. *Saccharosydne saccharivora* (Delphacinae: Saccharosydni).